

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims**

1. (Currently Amended) A method of generating a document, the method comprising:  
  
establishing a software an architecture for a set of rules to be embedded used in documents, the documents consisting ~~that consist~~ of a plurality of components; and  
  
creating a dynamic document structure that can resolve to one or more instances of a document and that is configured to include one or more rules based on the architecture for a set of rules.
2. (Original) A method as claimed in claim 1, wherein establishing an architecture for a set of rules includes creating a schema having a conditions element.
3. (Original) A method as claimed in claim 1, wherein establishing an architecture for a set of rules includes creating a schema having a choose element.
4. (Currently Amended) A method as claimed in claim 1, wherein establishing an architecture for a set of rules ~~rules~~ includes creating a schema having an iterators element.
5. (Original) A method as claimed in claim 1, wherein establishing an architecture for a set of rules includes creating a schema having a functions element.
6. (Original) A method as claimed in claim 1, wherein establishing an architecture for a set of rules includes creating a schema having a conditions element, a choose element, an iterators element, and a functions element.
7. (Original) A method as claimed in claim 1, wherein establishing an architecture for a set of rules includes creating a schema having an external interface element that is configured to be resolved into a value.
8. (Original) A method as claimed in claim 7, wherein the value is chosen from a group that includes a set, an XML DOM node, and an XML DOM node list.

9. (Original) A method as claimed in claim 7, wherein the external data interface element is configured to have an entity reference attribute.
10. (Original) A method as claimed in claim 7, wherein the external data interface element is configured to have a return type attribute.
11. (Currently Amended) A method as claimed in claim 1, wherein establishing an architecture for a set of rules includes creating a schema having an internal interface element and an external interface element~~that is configured specify the usage of data resolved by an external interface element~~.
12. (Original) A method as claimed in claim 1, further comprising creating a static document structure that can be resolved into one or more instances of a document that includes at least some content that is determined before and some content that is unchanged during and after a resolution process.
13. (Original) A method as claimed in claim 1, further comprising providing a data set configured to be processable by one or more rules built on the architecture for a set of rules.
14. (Currently Amended) A method of generating a document, the method comprising:  
  
    establishing a software an-architecture for a set of rules configured to be embedded in documents by creating a schema having a conditions element, a choose element, an iterators element, a functions element, and an external interface element that is configured to be resolved into a value; and  
  
    creating a dynamic document structure that can resolve to one or more instances of a document using the set of rules.
15. (Currently Amended) A method of generating a document, the method comprising:  
  
    establishing a software an-architecture for a set of rules configured to be embedded in documents, the set of rules including a conditions element, a choose element, an iterators element, and a functions element;  
  
    creating a dynamic document structure that can resolve to one or more instances of a document using the set of rules; and

creating a static document structure that can be resolved into one or more instances of a document that includes at least some content that is determined before and some content that is unchanged during and after a resolution process.

16. (Currently Amended) A method of assembling a document from a group of components, the method comprising:

creating a transaction data set;

retrieving one or more cross-referenced document components from a data base based on the transaction data set, the one or more document components configured to include one or more embedded rules;

processing the one or more cross-referenced document components in a processor to generate a tree having a root node;

processing the tree beginning at the root node; and

when a rule is encountered, evaluating the rule and replacing it with a value.~~value~~;

17. (Original) A method as claimed in claim 16, further comprising establishing an architecture for a set of rules.

18. (Original) A method as claimed in claim 17, wherein establishing an architecture for a set of rules includes creating a schema having a conditions element.

19. (Original) A method as claimed in claim 17, wherein establishing an architecture for a set of rules includes creating a schema having a choose element.

20. (Original) A method as claimed in claim 17, wherein establishing an architecture for a set of rules includes creating a schema having an iterators element.

21. (Original) A method as claimed in claim 17, wherein establishing an architecture for a set of rules includes creating a schema having a functions element.

22. (Original) A method as claimed in claim 17, wherein establishing an architecture for a set of rules includes creating a schema having a conditions element, a choose element, an iterators element, and a functions element.

23. (Original) A method as claimed in claim 17, wherein establishing an architecture for a set of rules includes creating a schema having an external interface element that is configured to be resolved into a value.
24. (Original) A method as claimed in claim 23, wherein the value is chosen from a group that includes a set, an XML DOM node, and an XML DOM node list.
25. (Original) A method as claimed in claim 23, wherein the external data interface element is configured to have an entity reference attribute.
26. (Original) A method as claimed in claim 23, wherein the external data interface element is configured to have a return type attribute.
27. (Currently Amended) A method as claimed in claim 17, wherein establishing an architecture for a set of rules includes creating a schema having an internal interface element and an external interface element ~~that is configured specify the usage of data resolved by an external interface element.~~
28. (Currently Amended) A method of assembling a data structure from a group of components, the method comprising:
- creating a transaction data set;
  - retrieving one or more cross-referenced data structure components from a database based on the transaction data set, the one or more data structure components configured to include one or more embedded rules;
  - processing the one or more cross-referenced data structure components in a processor to generate a tree having a root node;
  - processing the tree beginning at the root node; and
  - when a rule is encountered, evaluating the rule and replacing it with a value.
29. (Original) A method as claimed in claim 28, further comprising establishing an architecture for a set of rules.

30. (Original) A method as claimed in claim 28, further comprising establishing a list of data structures and performing each of the steps in claim 28 for each of the data structures.